SELF RETRACTING LIFELINES

Inspection Checklist / Log

Self Retracting Lifeline Model:		Manufacture Date:	
Serial Number:		_ Lot Number:	Purchase Date:
Owner / Dept. / Lo	cation:		
Owner's ID #:			
Comments:			
		I	I
GENERAL FACTORS		ACCEPTED / REJECTED	SUPPORTIVE DETAILS OR COMMENTS
Impact Indicator: Inspect indicator for activation (rupture of red stitching, elongated indicator, etc.)		☐ ACCEPTED ☐ REJECTED	
Screws / Fasteners: Inspect for damage and make certain all screws and fasteners are tight.		☐ ACCEPTED ☐ REJECTED	
3.) Housing: Inspect for distortion, cracks and other damage. Inspect anchoring loop for distortion and damage.		☐ ACCEPTED ☐ REJECTED	
4.) Lifeline: Inspect for cuts, burns, tears, abrasion, frays, excessive soiling and discoloration, broken wires (see impact indicator section).		☐ ACCEPTED ☐ REJECTED	
5.) Locking Action: Inspect for proper lock-up of brake mechanism.		☐ ACCEPTED☐ REJECTED	
6.) Retraction/Extension: Inspect spring tension by pulling lifeline out fully and allowing it to retract fully (no slack).		☐ ACCEPTED ☐ REJECTED	
7.) Hooks / Carabiners: Inspect for physical damage, corrosion, proper operation and markings (see separate checklist/log for hooks and carabiners).		☐ ACCEPTED ☐ REJECTED	
8.) Reserve Lifeline: Inspect reserve lifeline retention systems for deployment.		☐ ACCEPTED ☐ REJECTED	
9.) Labels: Inspect, make certain all labels are securely held in place and legible.		☐ ACCEPTED☐ REJECTED	
OVERALL		INSPECTED BY: Date inspected:	